

CLEARANCE MODEL: LPC-490P - MINI PC WITH PCI SLOT, 8TH GEN - CELERON CPU, 8GB, 256GB SSD, DVDRW, NO O/S



\$1,480.00 USD Original price was: \$1,480.00 USD.<u>\$1,258.00 USD</u>Current price is: \$1,258.00 USD.

Featuring a high performance Small PC with abundant network connectivity

- Powerful 8th Generation Intel® Celeron G4900T Processor
 - 8GB DDR4 Memory
 - 256GB Solid State Drive (SSD), internal
 - Slim Slot DVDRW/CDRW Drive
 - Built-in 4 Gigabit LAN, 4 USB 3.0, Audio, Serial, Video
 - 10-48 VDC Operation, ideal for mobile/field
 - Includes 3-Pin locking power connector and mobile hardware start-up and shutdown features
 - Low Profile Rugged Aluminum Chassis
 - No Operating System included
 - RoHS, CE & FCC certified
 - 1 Year Warranty

15% Off

Page: 1 May 18, 2024 www.stealth.com







GALLERY IMAGES







PRODUCT DESCRIPTION

The LPC-490P is a high performance Mini PC featuring a single PCI-BUS Expansion Slot, as well as a multitude of I/O including 4 RJ45 Gigabit LAN ports, DVI-I and DisplayPort video ports. It is offered with a range of Intel® Coffee Lake 8th Generation Processors up to Core™ i7. All this power is packed into one tiny machine that is small enough to fit on the palm of your hand!

The LPC-490P Little PC is packed with features including a wide DC input range of 10-48V, a locking 3-Pin Power Jack, voltage power on sense (ideal for mobile applications), up to 2 Drives in a combination of 2.5" Hard Drives or Solid State Drives with optional onboard Raid support, an optional front slot loading Optical Drive or removable drive, up to 64GB memory, onboard audio, and much more.

Typical applications include:

- Instrumentation and Control
 - Security
 - Mobile & Vehicle PC
 - VPN
 - Network Appliance
 - Kiosk
 - Data acquisition
 - IoT (Internet of Things)
 - Mini Servers

The LPC-490 series adds to Stealth's robust lineup of Small Form Factor Mini PCs designed to fit in space-confined areas and are ideal for demanding applications within the Industrial, Commercial, Military & Defense, Scientific Research, Public Safety, Utility, Transportation, Mining and Telecommunications markets.



ADDITIONAL INFORMATION

Processor Intel® Celeron® G4900T (2 Cores / 2 Threads, 2.9Ghz)

Chipset Intel® Q370 Chipset (Coffee Lake)

Memory 8GB DDR4 Memory

Internal Storage 256GB SSD 3D Nand Drive

Internal Expansion Option 2 Internal Mini-PCle expansion options (1) full sized, (1 half size)

Optical Drives Slim DVD-RW / CD-RW (Serial-ATA)

Intel® HD Graphics 610 (Intel® Celeron and Pentium

Processors)

Video Intel® HD Graphics 630 (Intel® 8th and 9th Generation

Processors)

Includes DVI-I & DisplayPort video ports

(1) Integrated 10/100/1000 Base-T Intel® i219LM (3) Integrated 10/100/1000 Base-T Intel® i211AT

Networking

PXE (Pre-Boot Execution Environment) Support

WoL (Wake On Lan) Support

Expansion Slot(s) 1 x 32Bit PCI 2.3 33Mhz Compliant card up to 8.5" – PCI 2.3

Compliant

Audio Integrated Realtek High Definition Audio CODEC ALC892

Operating Systems Not Included

TPM Module fTPM 2.0 (Firmware Trusted Platform Module), provides

increased hardware security.

Chassis Description Low Profile Rugged Aluminum Chassis

10 - 48V DC Input

Power Input

Dinkle 5ESDAM-03 Mating Connector

Rear Locking 3-Pin power Jack ideal for mobile applications

No External AC Adapter included (optional AC supply available)

Dinkle 5ESDAM-03P Mating DC Connector

Included with System

DVI to VGA Adapter

4 Rubber Feet

Wall Mount Bracket



Rear Panel

Dimensions

(2) USB 3.1 Gen 2 Ports

2 PS/2 ports for Keyboard & Mouse

2x RS232 COM port

1x Gigabit RJ45 Network connection

Audio Line-Out Jack

1x DVI-I video connector

1x DisplayPort video connector Locking 3-Pin DC Power Input Jack

(4) USB 3.1 Gen 2 Ports

3 x 10/100/1000 RJ45 Network connections

Microphone Input Jack

Front Panel Hard Drive indication LED

Power LED Light Power-on button Reset button

5.81" x 10.00" x 2.83" (147.6mm x 254.1mm x 71.8mm) [W x D

x H]

Operating Temperature: 0 - 40C (32 to 104 F)

Environmental Storage Temperature: -20 to 60C

Relative Humidity: 20% ~ 90% (Operating & Non-Operating)

Warranty 1 Year Limited Warranty

Disclaimer Note: Specifications are subject to change without notice.