

PM-3200 - PANELMOUNT PC / BENCH TOP SYSTEM




Bench/Desktop or Panel/Wall/Tower Mount Industrial PC

- All-In-One Single Board Computer Design
 - Powerful Core Processors
- PCI/PCIe/ISA Expansion Slots for Add-In Cards
- DC Power Input Options, 12, 24, 48, 125VDC
 - Panel or Wall Mount Design
- Built to your Exact Specifications
 - 2-Year Warranty

(Important Notice: The PM-3200 model is now end of life and has been discontinued, please contact us if you have a requirement.)



GALLERY IMAGES



PRODUCT DESCRIPTION

Reliable Panel or Wall Mount Computers

The Stealth.com Model PM-3200 Panel/Wall Mount computer system provides for easy installation into control panels, consoles, cabinets and walls. The rugged all-steel chassis features a smart fan cooling system that regulates internal temperatures to optimum levels. Systems are configured with a 6-slot PCI/ISA backplane and industrial single board computer (SBC). Stealth computers are designed to operate on a continuous 24-hour basis and are priced to meet your budget.

ADDITIONAL INFORMATION

Processor

Depending on your needs, can be equipped with Intel's latest CPU technology.

Memory

Memory options ranging from 512MB to 4GB DDR or DDR2

Internal Storage

Supporting a wide variety of Serial ATA (SATA), IDE (PATA) ranging from 320GB to the latest sizes available

Options for RAID, SCSI, SAS are also available

Drive Bays

One (1) external 3.5" Drive bay, comes with Filler Plate installed, one (1) internal 3.5" Drive bay and one (1) Slim Slot for Optical Drive installation (Standard)

Two (2) external 3.5" Drive bays, comes with Filler plates installed and One internal 3.5" drive bay, no optical drive slot (OPTIONAL)

Expansion Slot(s)

Available 1-2 ISA Slots, up to 3 PCI Slots and 1 CPU Card slot (Occupied by SBC)

Available 5-6 ISA Slots and 1 CPU Card Slot (Occupied by SBC)

*NOTE: Available slot configuration varies depending on your needs for additional IO devices such as USB, Serial, LPT, etc. Contact Stealth to discuss your needs

Video

Integrated Video onboard Single Board Computer (SBC)

Optional Add-in Video card (requires expansion slot)

Generally supplied with 1 Serial (RS-232) port, LPT Port and 2 USB ports

Ports

(Depending on configuration, please contact Stealth to determine your needs)

Optional RS422/485 or other special communications cards available upon request

Power Supply

100-240 VAC, 50Hz – 60Hz, 650W power supply (standard)
Meets 80PLUS Gold

Optional 12, 24, 48, 125 and more DC input available

Optional Redundant 100-264 VAC, 550 Watt

Optional Redundant 90-264 VAC, 600 Watt

Operating Systems

Supporting a wide variety of operating systems such as Microsoft Windows 2000, XP and Windows 7. Linux and related operation systems also supported

Options

Solid State Drives (SSD) SATA
SCSI interface and hard drives
SAS (Serial attached SCSI) Drives and controllers
RAID
Additional IO Cards
Additional Video Cards such as Dual Display, Quad Display, etc.
Contact us with any request for configuration

Environmental

Operating Temperature: 0 – 45C (32 to 113 F)

Chassis Description

Zinc dichromate plated steel panel/desk/wall mount package
with single 62 CFM temperature controlled Smart Fan and
removable filter.
Power and Hard Drive LEDs. Power and Reset switches. Hold
down bracket for expansion cards.

Dimensions

7.0" H x 10.0" W x 16.0" D (178mm x 254mm x 406mm)

Weight

25-30lbs, 13-16 Kg (Depending on configuration)

Warranty

2 Year limited Warranty, Standard
1 Year Extended Warranty available (see Configurator/Price List)

Disclaimer

Note: Specifications are subject to change without notice.