

LPC-140G4 - ULTRA SMALL MINI PC - I3 CPU, 16GB, 480GB SSD, WIN 10 (QUICKSHIP SPECIAL)



~~\$1,990.00 USD~~ Original price was:
~~\$1,990.00 USD.~~ ~~\$1,492.00 USD~~ Current price is:
\$1,492.00 USD.

4-Gigabit Ethernet Ports in the palm of your hand!

- 4 Gigabit Ethernet LAN/WAN ports
- Ultra Small, Only 4.0" x 6.1" x 1.5" in size
- Intel® Core i3-4010U, Dual Core 1.7Ghz Processor
 - 16GB DDR3 Memory
 - 480GB SSD (Solid State Drive)
 - 4 Gigabit Ethernet LAN/WAN ports
- 10-26 VDC Operation, Ideal for Mobile/Field
 - Includes AC Power Adapter
- Built-in GB LAN, USB 3.0/2.0, Audio, Serial, Video
 - Windows 10 Professional, OEM
 - Panel/Wall Mount Brackets Included
 - 6-Month Warranty

25% Off - contact us for quantity discounts!



GALLERY IMAGES



PRODUCT DESCRIPTION

The Stealth LPC-140G4 Multi-LAN Ultra Small Mini PC features a total of 4 GB Ethernet ports all in one tiny machine measuring (4.0" x 6.1" x 1.45") or just a little larger than a deck of playing cards.

The LPC-140G4 is a powerful, feature rich small-form PC that harnesses the power Intel's 4th generation i3 and Celeron mobile processors. Ideal applications include; security, VPN, network appliance, bandwidth controller, network diagnostics, IoT (Internet of Things), mini servers and more.

The LPC-140G4 operates from an external AC power adapter (included) or can be connected to an external 10-26 VDC source making it ideal for mobile and remote applications.

Stealth's LittlePCs are small form factor mini PCs designed to fit in space-confined areas and are ideal for demanding applications within the Industrial, Commercial, Scientific Research, Military, Public Safety, Utility, Transportation, mining and Telecommunications markets.

ADDITIONAL INFORMATION

Processor	Intel® Core i3-4010U, Dual Core 1.7Ghz Processor
Chipset	8-series chipset integrated in CPU
BIOS	Insyde UEFI BIOS
Memory	16GB DDR3 Memory
Internal Storage	480GB SSD 3D Nand Drive
Internal Expansion Option	1 Internal Mini-PCle expansion option PCIe and USB devices supported
Video	Onboard/Integrated Intel HD Graphics (built into the CPU) Dual Display support (clone or extended desktop) 3x Integrated 10/100/1000 Base-T Intel (i210-AT) Gigabit Ethernet controller, RJ45 connection (PXE support)
Networking	1x Integrated 10/100/1000 Base-T Intel (i218LM) Gigabit Ethernet controller, RJ45 connection (PXE support)
Audio	Integrated Realtek High Definition Audio CODEC ALC892
Operating Systems	Windows 10 (64-bit)
Chassis Description	Low Profile Rugged Aluminum Chassis Includes Panel/Wall Mount Brackets Input is 10V - 26VDC
Power Input	Rear 12VDC power Jack ideal for mobile applications Includes External AC Adapter, Input 100~240V AC @ 1.5A 50-60Hz
Power Management	ACPI compliant and Operating System direct power management Wake-on event
Hardware Monitor	Processor temperature Cooling fan speed Voltage
Included with System	100-240V AC Adapter North American Power Cord 4 Rubber Feet Wall Mount Bracket

	2 PS/2 ports for Keyboard & Mouse
	2 x USB 3.0 Ports
Rear Panel	1x DVI-D video connector
	1x DisplayPort video connector
	DC Power Input Jack
	4 x 10/100/1000 RJ45 Network connections
	3 x USB 2.0 Ports
	2 x RS232 COM port
Front Panel	Headphone/Audio Line-Out Jack
	Microphone Input Jack
	Power and Hard Drive notification LED
	Power-on button
Dimensions	4.0"(W) x 6.1"(D) x 1.5"(H) (102mm x 155mm x 37.8mm)
	Operating Temperature: 0 - 40C (32 to 104 F)
Environmental	Storage Temperature: -20~60C (-4~140F)
	Operating Relative Humidity (non condensing) 10-80%
	Storage Relative Humidity (non condensing) 0-90%
	Power supply Weight: 1.35 lbs / 0.62 KG
Weight	Unit Weight: 1.3 lbs / 0.58 KG (Depending on configuration)
	Shipping Weight: 4 Lbs / 1.8 KG (Depending on configuration)
Warranty	6-Months Parts & Labor
Disclaimer	Note: Specifications are subject to change without notice.