

PM-3200 - PANELMOUNT PC / BENCH TOP SYSTEM



Bench/Desktop or Panel/Wall/Tower Mount Industrial PC

- All-In-One Single Board Computer Design
 - Powerful Core Processors
- PCI/PCIe/ISA Expansion Slots for Add-In Cards
- DC Power Input Options, 12, 24, 48, 125VDC
 - Panel or Wall Mount Design
 - Built to your Exact Specifications
 - 2-Year Warranty

(Important Notice: The PM-3200 model is now

end of life and has been discontinued, please contact us if you have a requirement.)





GALLERY IMAGES





PRODUCT DESCRIPTION

Reliable Panel or Wall Mount Computers

The Stealth.com Model PM-3200 Panel/Wall Mount computer system provides for easy installation into control panels, consoles, cabinets and walls. The rugged all-steel chassis features a smart fan cooling system that regulates internal temperatures to optimum levels. Systems are configured with a 6-slot PCI/ISA backplane and industrial single board computer (SBC). Stealth computers are designed to operate on a continuous 24-hour basis and are priced to meet your budget.



ADDITIONAL INFORMATION

Processor	Depending on your needs, can be equipped with Intel's latest CPU technology.
Memory	Memory options ranging from 512MB to 4GB DDR or DDR2
Internal Storage	Supporting a wide variety of Serial ATA (SATA), IDE (PATA) ranging from 320GB to the latest sizes available Options for RAID, SCSI, SAS are also available
Drive Bays	One (1) external 3.5" Drive bay, comes with Filler Plate installed, one (1) internal 3.5" Drive bay and one (1) Slim Slot for Optical Drive installation (Standard) Two (2) external 3.5" Drive bays, comes with Filler plates installed and One internal 3.5" drive bay, no optical drive slot (OPTIONAL)
Expansion Slot(s)	Available 1-2 ISA Slots, up to 3 PCI Slots and 1 CPU Card slot (Occupied by SBC) Available 5-6 ISA Slots and 1 CPU Card Slot (Occupied by SBC) *NOTE: Available slot configuration varies depending on your needs for additional IO devices such as USB, Serial, LPT, etc. Contact Stealth to discuss your needs
Video	Integrated Video onboard Single Board Computer (SBC) Optional Add-in Video card (requires expansion slot)
Ports	Generally supplied with 1 Serial (RS-232) port, LPT Port and 2 USB ports (Depending on configuration, please contact Stealth to determine your needs) Optional RS422/485 or other special communications cards available upon request
Power Supply	100-240 VAC, 50Hz – 60Hz, 650W power supply (standard) Meets 80PLUS Gold Optional 12, 24, 48, 125 and more DC input available Optional Redundant 100-264 VAC, 550 Watt Optional Redundant 90-264 VAC, 600 Watt Supporting a wide variety of operating systems such as Microsoft
Operating Systems	Windows 2000, XP and Windows 7. Linux and related operation systems also supported

STEALTH

	Solid State Drives (SSD) SATA
	SCSI interface and hard drives
	SAS (Serial attached SCSI) Drives and controllers
Options	RAID
	Additional IO Cards
	Additional Video Cards such as Dual Display, Quad Display, etc.
	Contact us with any request for configuration
Environmental	Operating Temperature: 0 – 45C (32 to 113 F)
Chassis Description	Zinc dichromate plated steel panel/desk/wall mount package with single 62 CFM temperature controlled Smart Fan and removable filter.
	Power and Hard Drive LEDs. Power and Reset switches. Hold down bracket for expansion cards.
Dimensions	7.0" H x 10.0" W x 16.0" D (178mm x 254mm x 406mm)
Weight	25-30lbs, 13-16 Kg (Depending on configuration)
Warranty	2 Year limited Warranty, Standard 1 Year Extended Warranty available (see Configurator/Price List)
Disclaimer	Note: Specifications are subject to change without notice.