

## 861-DP2-USB - DESKTOP RUGGED KEYBOARD (DISCONTINUED)



**\$395.00 USD**

### ***Rugged, Small Footprint, Washable Keyboard with Built-in Finger Tip Mouse***

- Washable NEMA 4, 4X / IP65 fully sealed
  - Rugged small foot print enclosure
  - "CLEAN KEY" disengages keys for easy cleaning
- No room for bacteria and infection traps
- Adjusted LED backlighting / illumination, 4 Stages (red)
  - Built-in FingerTip Mouse
  - Tapped holes for mounting
- 83 Keys, 12 function keys & Windows key
  - Wide Temperature Range, -40 to +70C (-40 to 158F)



## GALLERY IMAGES



## PRODUCT DESCRIPTION

The Stealth model 861-DP2-USB is an industrial desktop rugged keyboard that is environmentally sealed to NEMA 4, 4X / IP65 specifications standing up to harsh and dirty environments. The rugged small footprint design has 4-stages of backlit illumination for night time viewing and features a "Clean Key" that locks the keyboard down when a cleaning function is performed.

This Stealth washable keyboard features 83-Keys including 12 function keys and a built-in optical fingertip mouse sensor for a total solution in one convenient package. Ideal applications include medical carts, in vehicle computing, plant floor, kiosks, warehousing and outdoor environments to name a few.

Stealth has a wide variety of rugged industrial keyboards & pointing devices and have been designed for use in a multitude of applications including HMI, operator interface, shop floor, data acquisition, kiosks, medical carts, mobile mount, and outdoor use to name a few.

**ADDITIONAL INFORMATION**

<b>Industrial Approvals</b>	NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B
<b>Key Switch</b>	Material: Industrial Silicone Rubber Approximate Life: 3 million operations Feedback: Tactile
<b>Sealed FingerTip Mouse</b>	No moving parts, Optical finger navigation sensor, 2 button click function, high speed motion detection
<b>Power</b>	5 VDC @ 250 mA typical with backlighting at maximum brightness Radiated immunity: 20 volts/Meter
<b>Temperature Range</b>	Operating: -40C to +70C (-40F to +158F) Storage: -55C to +70C (-67F to +158F)
<b>Humidity</b>	100%
<b>Housing</b>	Rugged, high impact plastic Sealed to NEMA 4, 4X
<b>Mounting</b>	4X #8-32 tapped holes for secure mounting
<b>Backlighting / Illumination</b>	4 levels of brightness (Red), button selectable (including Off), Life = 200,000 hours continuous "on" Prevents data from being sent while the keyboard is wiped or hosed down. Allows for easy cleaning without removing the cable from the system.
<b>Clean Key</b>	The user is notified of the 'lock down mode' by a brightly lit "CLEAN KEY"
<b>Dimensions</b>	(W-D-H) 11.4" x 6.4" x 1.9" (290 x 162 x 48 mm)
<b>Weight</b>	Unit: 2 lbs (0.9 kg) (approx)
<b>Cable</b>	Length: 3.2 feet (1m), Design: Single USB 2.0 Cable
<b>Compatibility</b>	PS/2: All windows operating systems most Linux/Unix Systems, USB: All windows operating systems, MAC OS and most Linux/Unix Systems
<b>Warranty</b>	1 Year limited Warranty Standard
<b>Model Numbers</b>	861-DP2-USB (USB Interface)
<b>Disclaimer</b>	Note: Specifications are subject to change without notice.