

17" FULL HD 1080P LCD MONITOR / KEYBOARD 1U RACK DRAWER (FR-1010-17W)



\$1,945.00 USD

Model: FR-1010-17W

- 17.3" Slim 1U Rack LCD / Keyboard / Mouse
- Full HD 1080p, 16:9 Aspect Ratio, Widescreen
1920 x 1080 Max Resolution
 - Saves Expensive Rack Space!
- Easily Installs into 19" Rack Cabinets
 - Folds down to 1U, 1.75" high
 - Built-in Keyboard & Touch Pad
- VGA + HDMI Video Inputs (standard),
Optional DVI-D & DisplayPort
 - Built-in lockable Slide Rails
- Optional 8 & 16 port KVM, HDMI, Audio
- Optional 12/24/48/125/250V DC power



GALLERY IMAGES



PRODUCT DESCRIPTION

Slim 1U All-In-One Full HD 1080p Widescreen Display/Keyboard in a Drawer

Stealth's 17" Full HD 1080p LCD Monitor / Keyboard 1U Rack Drawer has been designed for easy installation into standard 19" rack cabinets. The high strength slide-rails have lockable fixed positions to prevent movement when typing. In its resting position the Stealth LCD monitor measure only 1.75 inches or 1U in height providing a significant cost savings by using less rack space.

The Model FR-1010-17W features a Full HD 1080p display (1920 x 1080 resolution), 16:9 Aspect Ratio with VGA and HDMI video inputs standard, along with built-in keyboard and track pad mouse. Optional upgrades are available for VGA, DVI-D & HDMI or VGA, DisplayPort and dual HDMI video connections. Both options include integrated Audio and dual 2 Watt Speakers. A built-in 110/220VAC power supply is standard. Available VDC power options include 12V, 24V, 48V, 125V and 250V DC.

Other FlatRack 1U & 2U Rack Drawer models are available with a range of LCD sizes, Widescreen, KVM Ports, and various video inputs.

ADDITIONAL INFORMATION

Construction & Design	19" Rackmount steel chassis 1U , 1.75" or 44.5mm high
Screen Size	17.3" (Diagonal)
Type	LCD c/w LED Backlighting
Aspect Ratio	16:9
Native Resolution	1920 x 1080 (Auto sync from 640 x 480 to 1920 x 1080)
Pixel Pitch	0.199mm x 0.199mm
Response Time	25ms Typical
Viewable Image Size	Horizontal: 15.03" / 381.9 mm, Vertical: 8.45" / 214.8 mm
Video Signal	RGB Analog 0.7V Peak to Peak
Video Input Connectors	VGA/HD15 + HDMI + DisplayPort with Audio In/Out, Dual 2W Speakers (optional) VGA/HD15 + HDMI Inputs (standard) HDMI + DVI-D + VGA Inputs (optional)
Viewing Angle	89 (up), 89 (down), 89 (left), 89 (right)
Contrast Ratio	1000:1 (typical)
Luminance (Brightness)	300 cd/m2 typical at center (300 Nits)
Controls On-Screen Display	Brightness, Contrast, H/V Position, Color, Phase, Clock, Language, etc.
Input	Optional: 12V, 24V, 48V, 125V and 250V DC with Terminal Block Internal 100~240VAC, 50/60Hz Power Supply Power Consumption: Max. 48 Watts, Standby 5 Watts Dual USB connectors for Keyboard and Mouse
Built-in Keyboard / Mouse	104 Keys 2 Button Touch Pad

Environmental

Operating Temperature: 0~55C (32~131F)
Operating Relative Humidity (non condensing) 20-90%
Storage Relative Humidity (non condensing) 5-90%
Storage Temperature: -20~60C (-4~140F)
Shock: 10G acceleration (11ms duration)
Vibration: 10~300Hz 0.5G RMS random vibration

Color

Black (standard)

Unit Weight

Unit Weight: 23.8 lbs (10.8 Kg)

Additional Options

DP + HDMI + VGA with integrated Audio & Dual 2W Speakers
HDMI + DVI-D + VGA with integrated Audio & Dual 2W Speakers
Optional 12/24/48/125/250V DC power
KVM version with 8 or 16 inputs available

FR-1010-17W-USB (VGA + HDMI Ports + Internal 100~240VAC, 50/60Hz)

FR-1010-17W-USB-12V (VGA + HDMI Ports + 12VDC Power Input)

FR-1010-17W-USB-24V (VGA + HDMI Ports + 24VDC Power Input)

FR-1010-17W-USB-48V (VGA + HDMI Ports + 48VDC Power Input)

FR-1010-17W-USB-125V (VGA + HDMI Ports + 125VDC Power Input)

FR-1010-17W-USB-250V (VGA + HDMI Ports + 250VDC Power Input)

FR-1010-17W-DV4-USB (DVI-D + VGA + HDMI Inputs c/w Dual 2W Speakers + Internal 100~240VAC, 50/60Hz)

FR-1010-17W-DV4-USB-12V (DVI-D + VGA + HDMI Inputs c/w Dual 2W Speakers + 12VDC Power Input)

FR-1010-17W-DV4-USB-24V (DVI-D + VGA + HDMI Inputs c/w Dual 2W Speakers + 24VDC Power Input)

FR-1010-17W-DV4-USB-48V (DVI-D + VGA + HDMI Inputs c/w Dual 2W Speakers + 48VDC Power Input)

FR-1010-17W-DV4-USB-125V (DVI-D + VGA + HDMI Inputs c/w Dual 2W Speakers + 125VDC Power Input)

FR-1010-17W-DV4-USB-250V (DVI-D + VGA + HDMI Inputs c/w Dual 2W Speakers + 250VDC Power Input)

FR-1010-17W-DP-USB (DP + VGA + HDMI + Internal 100~240VAC, 50/60Hz)

FR-1010-17W-DP-USB-12V (DP + VGA + HDMI + 12VDC Power Input)

FR-1010-17W-DP-USB-24V (DP + VGA + HDMI + 24VDC Power Input)

FR-1010-17W-DP-USB-48V (DP + VGA + HDMI + 48VDC Power Input)

FR-1010-17W-DP-USB-125V (DP + VGA + HDMI + 125VDC Power Input)

FR-1010-17W-DP-USB-250V (DP + VGA + HDMI + 250VDC Power Input)

Standard: 19.0"(W) x 1.75"(H) x 18.1 "(D) (482.6mm x 44.5mm x 460mm)

With HDMI and/or DC Power options: 19.0"(W) x 1.75"(H) x 20.9"(D) (482.6mm x 44.5mm x 530mm)

Available Models

Dimensions

Warranty

2 Year Parts & Labor

Disclaimer

Note: Specifications are subject to change without notice.