

#### SR-2500 - SPACE SAVING 2U RACK COMPUTER / SERVER (12TH GEN)



# \$2,045.00 USD

#### Model: SR-2500

- 19" Rack Mount Full Featured PC/Server
- Powerful 12th Generation Intel® Core<sup>™</sup> Processors
  - 2U, Solid Steel Enclosure w/ Secure Front Door
- Massive Storage Options up to 28TB & up to 128GB of RAM
  - Various Power Supply Options
  - Built to your Exacting Specifications
    - 2 Year Warranty





#### **GALLERY IMAGES**



### **PRODUCT DESCRIPTION**

The Stealth model SR-2500 is a high performance Space Saving 2U Rack Mount Computer / Server that features superb space savings in a rack cabinet without jeopardizing performance. The popular 2U or 3.5" high rack mountable machine utilizes the latest Intel 12th Gen Core Processors & up to 128GB of Memory that delivers the ultimate in computing power meeting your demanding business and application needs.

The SR-2500 Rack Mount computer features PCIe expansion slots, multiple drives for mass storage (up to 28TB) and can be fully custom configured to suit your needs. Stealth has carefully selected, tested and qualified the highest quality of components to ensure the utmost in total system performance, reliability and long operational life cycles.

Stealth's Rackmount PC systems are ideal for telephony, industrial control, plant automation, Datacenter/ISPs, IoT (Internet of Things), IIoT (Industrial Internet of Things), networking, machine vision, and data acquisition applications to name a few.

Stealth Rack server products are designed to work on a continuous 24/7 basis yet are priced to meet your budget. Prior to shipping, each and every system is put through Stealth's rigorous QA burn-in procedure that is documented and controlled through our ISO 9001 quality system.



## **ADDITIONAL INFORMATION**

	Supporting Intel®'s 12th Generation Core <sup>™</sup> Processors (Alder Lake)
Processor	Intel® Core <sup>™</sup> i3-12100 (4 Cores / 8 Threads, up to 4.30GHz) Intel® Core <sup>™</sup> i5-12500 (6 Cores / 12 Threads, up to 4.60GHz) Intel® Core <sup>™</sup> i7-12700 (12 Cores / 20 Threads, up to 4.90GHz) Intel® Core <sup>™</sup> i9-12900 (16 Cores / 24 Threads, up to 5.10GHz)
Memory	4 DDR4 Memory Sockets supporting up to 128GB RAM / Memory
Drive Bays	Optional Onboard RAID configuration (0, 1, 5, 10), requires multiple drives (1) 5.25" Open Bay (For use with 5.25" Optical Drives, internal Hard Drives, etc.) (1) 3.5" Open Bay (For use with 3.5" Drives including 1.44MB Floppy, Zip, etc.) (2) 3.5" Internal drive storage (1) PCIe 3.0 x16 (Top Slot)
Expansion Slot(s)	<ul> <li>(1) PCle 3.0 x4 (x8 physical, Middle Slot)</li> <li>(1) PCle 3.0 x1 (Bottom Restricted Slot)</li> <li>1 x M.2 Socket 3, with M key, type 2242/2260/2280/22110</li> <li>storage devices support (PCIE 4.0 x 4 mode)</li> <li>1 x M.2 Socket 3, with M key, type 2242/2260/2280 storage</li> <li>devices support (SATA &amp; PCIE 4.0 x 4 mode)</li> <li>Optional support for all Standard 5.25" Optical Disk Drives</li> </ul>
Removable Storage	Optional DVDRW/Blu-Ray Burner Optional Removable drive bay with Key locking (uses 5.25" expansion bay)
Video	Intel <sup>®</sup> UHD Graphics 770
Audio	Realtek 7.1 Surround Sound High Definition Audio CODEC
TPM Module	Optional TPM 2.0 (Trusted Platform Module), provides increased hardware security.
Networking	Onboard Realtek 2.5Gb Ethernet RJ-45 Optional support for Fiber, 10GB, Wireless and more

# STEALTH

Ports	<ul> <li>(1) RJ45 2.5Gb Ethernet port</li> <li>(1)USB 3.2 Gen 2 port (1 x USB Type-C®) (Rear mounted)</li> <li>1x USB 3.2 Gen 1 port Type-A (Rear mounted)</li> <li>2 x USB 2.0 ports Type-A (Rear Mounted)</li> <li>2 x USB 3.2 Gen 1 (front-mount)</li> <li>2 x USB 3.2 Gen 2 ports Type-A (Rear mounted)</li> <li>(3) Audio Jacks (Input, Output and MIC)</li> <li>(1) HDMI</li> <li>(1) DisplayPort</li> </ul>
Power Supply	100-240 VAC, 50Hz – 60Hz, 600W power supply (standard)
Operating Systems	Windows Server 2022 Windows 11 (64-bit) – Requires TPM 2.0 Windows 10 (64-bit) Ubuntu Linux Please contact us directly for any special requirements (2) Rear Cooling Fans
Cooling Fans	(1) Intake from power supply with removable filter
Environmental	Operating Temperature: 0 – 45C (32 to 113 F)
Dimensions	3.5" H x 19.0" W x " 19.7"D (89mm x 483mm x 500mm)
Weight	Approx. 40 lbs. depending on configuration
Warranty	2 Year limited Warranty, Standard 1 Year Extended Warranty available (see Configurator/Price List)
Disclaimer	Note: Specifications are subject to change without notice.