

SR-3500 - INDUSTRIAL 3U RACK MOUNT COMPUTER / SERVER (8TH GEN)



\$1,835.00 USD

Model: SR-3500

- 3U 19" Rack Mount Full Featured PC/Server w/ Secure Front Door
 - Powerful 8th and 9th Generation Intel® Core™ Processors
 - Massive Storage Options & up to 64GB of RAM
 - Various Power Supply Options
 - Custom Built to your Exacting Specifications
 - 1 Year Warranty

**Get 25% off remaining stock, discount applied automatically
when you add your configuration to the cart.**



GALLERY IMAGES



PRODUCT DESCRIPTION

The Stealth model SR-3500 is a high performance Industrial 3U Rack Mount Computer / Server system designed to work on a continuous 24/7 basis yet are priced to meet your budget. Stealth has carefully selected, tested and qualified the highest quality of components to ensure the utmost in total system performance, reliability and long operational life cycles.

Stealth's popular 3U Rack Mount systems utilize the latest Intel processors designed to deliver the ultimate in computing power that you require to meet your business and application needs. Prior to shipping each and every system is put through Stealth's rigorous QA burn-in procedure that is documented and controlled through our ISO 9001 quality system.

ADDITIONAL INFORMATION

| | |
|--------------------------|--|
| Processor | Supporting Intel®'s 8th and 9th Generation Core™ Processors (Coffee Lake) |
| | Intel® Core™ i7-9700 (8 Cores / 8 Threads, up to 4.70Ghz) |
| | Intel® Core™ i3-8300, 3.7GHz (4 Cores / 4 Threads) |
| | Intel® Core™ i5-8600, up to 4.3GHz (6 Cores / 6 Threads) |
| | Intel® Core™ i7-8700, up to 4.6GHz (6 Cores / 12 Threads) |
| Memory | 4 DDR4 Memory Sockets Supporting up to 64GB of RAM / Memory |
| Drive Bays | (1) 3.5" Internal Drive Bay |
| | (6) 5.25" Open Bay (For use with 5.25" Optical Drives, internal Hard Drives, etc.) |
| | (1) 3.5" Open Bay (For use with 3.5" Drives including 1.44MB Floppy, Zip, etc.) |
| Expansion Slot(s) | (1) PCIe 3.0 x16 (operates at x4 mode) |
| | (4) PCIe 3.0 x1 |
| | (1) PCIe 3.0 x16 |
| Video | Integrated Graphics Processor with DVI-D, HDMI and VGA/HD15 ports |
| | DVI-D max. resolution 1920 x 1200 @ 60 Hz |
| | VGA / HD15 max. resolution 1920 x 1200 @ 60 Hz |
| | HDMI 1.4b max. resolution 4096 x 2160 @ 24 Hz / 2560 x 1600 @ 60 Hz |
| | Optional PCIe Graphics Adapter, Multiple monitor support, Quad or higher Video Options available |
| | Supports triple-display simultaneously |
| Audio | Onboard 8-Channel High Definition Audio CODEC |
| TPM Module | Optional TPM 2.0 (Trusted Platform Module), provides increased hardware security. |
| Networking | Onboard 10/100/1000Base-T Gigabit LAN, RJ-45 |
| | Optional support for Fiber, 10GB, Wireless and more |

Ports

- (2) USB 3.1 Gen 1 Ports (rear-mounted)
- (2) USB 3.1 Gen 2 Ports (rear-mounted)
- (2) USB 2.0 / 1.1 Ports (rear-mount)
- (2) USB 2.0 / 1.1 ports (front-mount)
- (1) RJ45 10/100/1000 BASE-T Gigabit LAN Port
- (3) Audio Jacks (Input, Output and MIC)
- (1) Combo PS/2 Port (Keyboard or Mouse)
- (1) VGA / HD-15 Video
- (1) DVI-D (Digital Only)
- (1) HDMI

Power Supply

- 90-264 VAC, 47Hz-63Hz, 600W High Efficiency power supply (standard)
- Optional Redundant Power Supplies
- Optional 12, 24, 48, 125 and more DC input available

Operating Systems

- Windows 10 (64-bit)
- Windows Server 2016
- Ubuntu Linux
- Please contact us directly for any special requirements

Cooling Fans

- Dual rear-mounted cooling fans, removable front filter

Environmental

- Operating Temperature: 0~50C (32~122F)

Dimensions

- 19.0" W x 5.25" H x 21.0"D (482.6mm x 133.35mm x 533.4mm)

Weight

- Approx. 45 lbs. (20.5 kgs) depending on configuration

Warranty

- 1 Year limited Warranty Standard

Disclaimer

- Note: Specifications are subject to change without notice.