

75-DT-BL - RUGGED ILLUMINATED/BACKLIT KEYBOARD



\$349.00 USD

Small Desktop Backlit Keyboard

- Sealed to NEMA 4, 4X / IP65 specifications
 - Backlit / Illumination
 - Small Foot Print Design
 - 75 Keys including 12 Function Keys
- Greater than 10 Million cycles expected life
 - PS/2 or USB connectors



GALLERY IMAGES



PRODUCT DESCRIPTION

The Stealth model 75-DT-BL is a NEMA 4, 4X / IP65, waterproof, dust-proof, and backlit keyboard that is ideal for industrial, kiosk and mobile computing applications. It is a highly versatile keyboard that offers a high value solution for a low price and offers both USB and PS/2 interfaces. The 75-DT-BL features red LEDs providing bright keyboard illumination ideal for dark or low light areas.

ADDITIONAL INFORMATION

Industrial Approvals	NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B
Key Switch	Material: Industrial Silicone Rubber Life: Greater than 10 million cycles Travel: 0.055" (1.4mm) Actuation Force: 135g (+/- 30g), 4.76 oz. +/- 1.06 oz. Feedback: Tactile with mechanical snap
Power	PS/2 Keyboard: 200 mA @ 5V (from Keyboard Port) USB Keyboard: 200mA @ 5V from USB port
Temperature Range	Operating: -40C to +70C (-40F to +158F) Storage: -40C to +90C (-40F to +194F)
Humidity	100% Humidity Resistant
Shock	3x11 ms pulses of 50g on each of 3 axes
Vibration	Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz, Duration of Test per Axis: 3 hours
Backlighting / Illumination	Red LEDs (On/Off)
Dimensions	8.25" (w) x 4.34" (h) x 1.08" (d) [209.6mm x 110.2mm x 27.4mm]
Cable	Length: 10' (3.04 meters)
Compatibility	Compatible with all Windows Operating Systems
Warranty	1 Year Parts & Labor
Model Numbers	75-DT-BL-PS/2 - PS/2 Interface 75-DT-BL-USB - USB Interface
Disclaimer	Note: Specifications are subject to change without notice.