

## 102-SLK - RUGGED ILLUMINATED KEYBOARD (DISCONTINUED)



### ***Illuminated/Backlit industrial keyboard with Built-in Mouse***

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications
  - Backlighting / Illumination
  - ABS-Polycarbonate Sealed Plastic Case
    - 102 Keys, 12 Function Keys
    - Built-in pointing device (mouse)
  - Greater than 10 Million cycles expected life
    - PS/2 or USB connectors
- Optional "Mobile" enclosure w/ bottom mounting studs

***(Important Notice: The 102-SLK model is now end of life and is replaced by the functional equivalent model 102-DP-FSR-BL.)***



## PRODUCT DESCRIPTION

The Stealth Computer model 102-SLK is an excellent solution for space saving needs. An ultra-thin and compact unit, it measures only 1.05 inches in height, while featuring an integrated 3 button pointing device, eliminating the need for an external mouse. For working in low-light situations, the 102-SLK keyboard even comes with backlit keys.

**ADDITIONAL INFORMATION**

<b>Industrial Approvals</b>	NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B
<b>Key Switch</b>	Material: Industrial Silicone Rubber Life: Greater than 10 million cycles Travel: 0.055" (1.4mm) Actuation Force: 200g (+/- 30g) / 7.05oz (+/- 1.06oz) Feedback: Tactile with mechanical snap
<b>Power</b>	PS/2 Keyboard: 210 mA @ 5V (from Keyboard Port) PS/2 Keyboard: 35mA @ 5V (from keyboard Port) USB: 245 mA @ 5V (from USB port)
<b>Temperature Range</b>	Operating: -40C to +70C (-40F to +158F) Storage: -40C to +90C (-40F to +194F)
<b>Humidity</b>	100% (when properly installed)
<b>Shock</b>	3×11 ms pulses of 50g on each of 3 axes
<b>Vibration</b>	Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz, Duration of Test per Axis: 3 hours
<b>Backlighting / Illumination</b>	Red LEDs (On/Off)
<b>Dimensions</b>	Standard Version - 14.6" x 5.55" x 1.05" (370.84mm x 140.97mm x 26.67mm) Mobile version - 14.5"W x 5.69"D x 1.64"H (368.3mm x 144.5mm x 41.7mm)
<b>Cable</b>	Design: 10 Feet (3.05 meters) Single 10' "Y-Split" Cable with PS/2 Connectors, or Single USB Cable
<b>Compatibility</b>	PS/2: All windows operating systems most Linux/Unix Systems, USB: All windows operating systems, MAC OS and most Linux/Unix Systems
<b>Additional Options</b>	Custom cable lengths, special connectors, custom enclosures etc Other Languages Available - Contact us for more details, Minimum quantities may apply.
<b>Warranty</b>	1 Year limited Warranty Standard
<b>Model Numbers</b>	102-SLK-PS/2 (PS/2 Interface) 102-SLK-USB (USB Interface) 102-SLK-M-PS/2 (Mobile - PS/2 Interface) 102-SLK-M-USB (Mobile - USB Interface)

## Disclaimer

Note: Specifications are subject to change without notice.