

102-SLP-PMU - PANELMOUNT ILLUMINATED KEYBOARD



NEMA 4,4X/IP65 Panelmount keyboard, w/ Built-in Mouse and Backlighting

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications when properly installed
 - Backlighting / Illumination (Red)
- ABS Polycarbonate Frame with 8-32 Mounting Studs
 - 102 Keys, 12 Function Keys
 - Built-in pointing device (mouse)
- Greater than 10 Million cycles expected life
 - PS/2 or USB connectors



PRODUCT DESCRIPTION

The Stealth Computer rugged panel mount keyboards allow for easy integration into workstations or other industrial environments. They meet NEMA 4, 4X specifications which enables them to survive in the roughest of conditions. The Stealth Model 102-SLP-PMU keyboard features 102 Keys, 12 Function Keys and has a built-in pointing device mouse. The 102-SLP-PMU also features backlighting / illumination for low ambient light conditions where a standard keyboard cannot be used.

ADDITIONAL INFORMATION

Industrial Approvals

NEMA 4, 4X, IP65* when properly installed, UL/ULc 60950, CE, FCC Class 15, Part B

Key Switch

Material: Industrial Silicone Rubber

Life: Greater than 10 million cycles

Travel: 0.055" (1.4mm)

Actuation Force: 200g (+/- 30g) / 7.05oz (+/- 1.06oz)

Feedback: Tactile with mechanical snap

Power

PS/2 Keyboard: 210 mA @ 5V (from Keyboard Port)

PS/2 Keyboard: 35mA @ 5V (from keyboard Port)

USB: 245 mA @ 5V (from USB port)

Temperature Range

Operating: -40C to +70C (-40F to +158F)

Storage: -40C to +90C (-40F to +194F)

Humidity

100% (when properly installed)

Shock

3x11 ms pulses of 50g on each of 3 axes

Vibration

Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz,

Duration of Test per Axis: 3 hours

Backlighting / Illumination

Red LEDs (On/Off)

Dimensions

(W-H-D) 15.1" x 6.05" x 0.59" (383.5mm x 153.7mm x 14.7mm)

CUTPIT: 13.7" x 4.65" (348mm x 118.1mm)

Cable

Design: 10 Feet (3.05 meters) Single 10' "Y-Split" Cable with PS/2 Connectors, or Single USB Cable

Compatibility

PS/2: All windows operating systems most Linux/Unix Systems,

USB: All windows operating systems, MAC OS and most Linux/Unix Systems

Additional Options

Custom cable lengths, special connectors, custom enclosures etc

Other Languages Available - Contact us for more details,

Minimum quantities may apply.

Warranty

1 Year limited Warranty Standard

Model Numbers

102-SLP-PMU-PS/2 (PS/2 Interface)

102-SLP-PMU-USB (USB Interface)

Disclaimer

Note: Specifications are subject to change without notice.