

TPX-PM-USB - RUGGED VANDAL RESISTANT PANEL MOUNT MOUSE



\$250.00 USD

Rugged, Vandal Resistant, Sealed Trackball Mouse

- Panel Mount Stainless Steel Trackpad
- Ergonomic Touchpad, Two Button Mouse
- Rugged Stainless Steel, Vandal Resistant
 - IP65 dynamic (front panel), NEMA3
- -20 to +60C (-4 to 140F) Temperature Range
- Ideal for Kiosks and Public Access applications
 - USB connector interface



GALLERY IMAGES



PRODUCT DESCRIPTION

The Stealth model TPX-PM-USB is a rugged Vandal Resistant Panel Mount Mouse featuring a touchpad mouse design. This industrial grade pointing device is housed in a rugged vandal resistant stainless steel panel mount enclosure. The TPX-PM pointing device features a high resolution touchpad and 2 button mouse and is ideal for Kiosks and Public Access applications, available with a USB connector.

The TPX-PM-USB has a wide operating temperature range of -20 to +60C (-4 to 140F) and the front panel when properly installed is environmentally sealed to IP65 specifications.

Stealth has a wide variety of rugged industrial keyboards & pointing devices and have been designed for use in a multitude of applications including HMI, operator interface, shop floor, data acquisition, kiosks, medical carts, mobile mount, and outdoor use to name a few.

ADDITIONAL INFORMATION

Industrial Approvals	IP65 dynamic (front panel), NEMA3 RoHS Compliant, CE and FCC
	Material/Style: Brushed stainless steel buttons
	Life: >10 million actuations
	Travel: 1.00mm (0.039")
	Contact: Stainless steel switch
Key Switch	Trackpad/Touchpad X/Y position sensing resolution: 1000 points/inch (40 points/mm)
	X/Y position reporting: Relative Tracking speed: Maximum 1,016 m/sec
	Life: >10 million revolutions
Power	Supply Voltage: +5V DC +/-10%
	Current Rating: Approx. 4mA
	Operating: -20C to +60C (-4F to +140F)
Temperature Range	Storage: -40C to +70C (-40F to +158F)
	Atmospheric pressure: 60-106Kpa.
Humidity	10-95%
Housing	Rugged, Vandal Resistant Stainless Steel casing
Dimensions	(W-H-D) 4.21" x 5.27" x 1.1" (107mm x 134mm x 28mm)
Cable	Length: 5.75 feet (1.75m)
	Design: Single Cable USB
Compatibility	Compatible with all Windows Operating Systems
Warranty	1 Year limited Warranty Standard
Model Numbers	TPX-PM-USB (USB Interface)
Disclaimer	Note: Specifications are subject to change without notice.