

KIOSK-42-KYB-USB - OEM/OPEN-FRAME KIOSK KEYBOARD (DISCONTINUED)



OEM/Open-Frame Kiosk Keyboard

- Meets NEMA 4, 4X / IP65 specifications when properly installed
 - Small Foot Print Design
 - ABS-Polycarbonate Sealed Plastic Case
 - 42-Key Functionality (no function keys)
 - 10 Million cycles expected life
 - Ideal for Kiosk Applications
 - USB connector

The model KIOSK-42-KYB-USB is now End-of-Life, if you have a requirement please contact us or see our current lineup of rugged keyboards & pointing devices.





PRODUCT DESCRIPTION

The Stealth Computer model KIOSK-42-KYB was specially designed for kiosk applications. The small number of keys ensures the public is only accessing the information you want it to. The sealed design with low profile keys means this keyboard will stand up to the toughest treatment. Each kit includes an industrial silicone keypad, switch matrix board, keyboard controller, and cables.



ADDITIONAL INFORMATION

Industrial Approvals	NEMA 4, 4X, IP65* when properly installed, UL/ULc 60950, CE, FCC Class 15, Part B
Key Switch	Actuation Force: 7oz (200g) Material: Industrial Silicone Rubber Life: Greater than 10 million cycles Travel: 0.060" (1.5mm) Feedback: Tactile with mechanical snap
Power	Keyboard: 5V@10ma (from CPU Port)
Temperature Range	Operating: -40C to +70C (-40F to +158F) Storage: -40C to +90C (-40F to +194F)
Humidity	100% (when properly installed)
Shock	3×11 ms pulses of 50g on each of 3 axes
Vibration	Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz, Duration of Test per Axis: 3 hours
Dimensions	(W-H-D) 5.78" x 9.17" x 4.45" x 0.43" (232.9mm x 113mm x 10.9mm)
Cable	Design: 10 Feet (3.05 meters) Single 10' "Y-Split" Cable with PS/2 Connectors, or Single USB Cable
Compatibility	PS/2: All windows operating systems most Linux/Unix Systems, USB: All windows operating systems, MAC OS and most Linux/Unix Systems
Additional Options	Custom cable lengths, special connectors, custom enclosures etc Other Languages Available – Contact us for more details, Minimum quantities may apply.
Warranty	1 Year limited Warranty Standard
Model Numbers	KIOSK-42-KYB-USB (USB Interface) KIOSK-42-KYB-PS/2 (PS/2 Interface)
Disclaimer	Note: Specifications are subject to change without notice.