

OEM-75-SL-KYB - OEM/OPEN-FRAME, ILLUMINATED KEYBOARD



Small Open-Frame Backlit Keyboard

- Meets NEMA 4, 4X / IP65 specifications when properly installed
 - Backlighting / Illumination
 - Small Foot Print Design
 - 75 Keys including 12 Function Keys
 - Greater than 10 Million cycles expected life
 - PS/2 or USB connectors





PRODUCT DESCRIPTION

The Stealth Computer model OEM-75-SL-KYB allows innovative backlighting to be incorporated into any design. This unit offers a compact solution for dirty, wet, and dusty environments. It provides full keyboard functionality with 75 keys and 12 function keys. The backlighting uses Red LEDs and offers and ON / OFF function. The OEM-75-SL-KYB backlighting operates by pressing the light bulb key located in the upper right corner. Each kit includes an industrial rubber silicone overlay, printed circuit board and cable.



ADDITIONAL INFORMATION

Industrial Approvals	NEMA 4, 4X, IP65* when properly installed, UL/ULc 60950, CE, FCC Class 15, Part B
Key Switch	Material: Industrial Silicone Rubber Life: Greater than 10 million cycles Travel: 0.055" (1.4mm) Actuation Force: 135g (+/- 30g), 4.76 oz. +/- 1.06 oz. Feedback: Tactile with mechanical snap
Power	PS/2 Keyboard: 200 mA @ 5V (from Keyboard Port) USB Keyboard: 200mA @ 5V from USB port
Temperature Range	Operating: -40C to $+70C$ (-40F to $+158F$) Storage: -40C to $+90C$ (-40F to $+194F$)
Humidity	100% (when properly installed)
Shock	3×11 ms pulses of 50g on each of 3 axes
Vibration	Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz, Duration of Test per Axis: 3 hours
Backlighting / Illumination	Red LEDs (On/Off)
Dimensions	(W-H-D) 7.85" x 3.85" x 0.36" (199.4mm x 97.8mm x 9.1mm)
Cable	Length: 10 feet (3.94 meters), Design: PS2 or USB
Compatibility	PS/2: All windows operating systems most Linux/Unix Systems, USB: All windows operating systems, MAC OS and most Linux/Unix Systems
Additional Options	Custom cable lengths, special connectors, custom enclosures etc Other Languages Available – Contact us for more details, Minimum quantities may apply.
Warranty	1 Year limited Warranty Standard
Model Numbers	OEM-75-SL-KYB-PS/2 (PS/2 Interface) OEM-75-SL-KYB-USB (USB Interface)
Disclaimer	Note: Specifications are subject to change without notice.