

OEM-81-SL-KYB-USB - OEM/OPEN-FRAME, ILLUMINATED KEYBOARD



\$349.00 USD

Small Open-Frame Backlit Keyboard

- Meets NEMA 4, 4X / IP65 specifications when properly installed
 - Backlighting / Illumination, 4 Levels
 - Small Foot Print Design
 - 81 Keys, 12 Function Keys
- Greater than 10 Million cycles expected life
 - USB connector



PRODUCT DESCRIPTION

The Stealth Computer model OEM-81-SL-KYB-USB provides a perfect option for areas where low light is a concern. Its backlighting uses red LEDs and has four levels of illumination. The secondary legends are printed in red so that upon illumination, both legends remain readable. The OEM-81-SL-KYB-USB is in open-frame configuration and will meet NEMA 4, 4X / IP65 specifications when properly installed.

ADDITIONAL INFORMATION

Industrial Approvals

NEMA 4, 4X, IP65* when properly installed, UL/ULc 60950, CE, FCC Class 15, Part B

Key Switch

Material: Industrial Silicone Rubber

Life: Greater than 10 million cycles

Travel: 0.060" (1.5mm)

Actuation Force: 5oz (130g)

Feedback: Tactile with mechanical snap

Power

Keyboard: 5V@10ma (from CPU Port)

Temperature Range

Operating: -40C to +70C (-40F to +158F)

Storage: -40C to +90C (-40F to +194F)

Humidity

100% (when properly installed)

Shock

3x11 ms pulses of 50g on each of 3 axes

Vibration

Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz,

Duration of Test per Axis: 3 hours

Backlighting / Illumination

Red LEDs, 4 levels

Dimensions

(W-H-D) 11.35" x 5.11" x 0.42" (288.3mm x 129.8mm x 10.7mm)

Cable

Length: 10 feet (3.94 meters), Design: PS2 or USB

Compatibility

PS/2: All windows operating systems most Linux/Unix Systems,

USB: All windows operating systems, MAC OS and most

Linux/Unix Systems

Additional Options

Custom cable lengths, special connectors, custom enclosures etc

Other Languages Available - Contact us for more details,

Minimum quantities may apply.

Warranty

1 Year limited Warranty Standard

Model Numbers

OEM-81-SL-KYB-USB (USB Interface)

OEM-81-SL-KYB-PS/2 (PS/2 Interface)

Disclaimer

Note: Specifications are subject to change without notice.