

## 1000-PMU - RUGGED PANELMOUNT KEYBOARD



**\$370.00 USD**

### *Sealed Panelmount keyboard*

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications when properly installed.
  - ABS Polycarbonate Frame with 4-40 Mounting Studs
- 104 Keys, 12 Function Keys, WIN KEY, Numeric Keypad
  - Greater than 10 Million cycles expected life
    - PS/2 or USB connectors



## **PRODUCT DESCRIPTION**

The Stealth Computer rugged panel mount keyboards allow for easy integration into workstations or other industrial environments. They meet NEMA 4, 4X specifications which enables them to survive in the roughest of conditions.

## ADDITIONAL INFORMATION

<b>Industrial Approvals</b>	NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B
<b>Key Switch</b>	Material: Industrial Silicone Rubber Life: Greater than 10 million cycles Travel: 0.060" (1.5mm) Actuation Force: 6.35oz +/- 1.06oz (180g +/- 30g) Feedback: Tactile with mechanical snap
<b>Power</b>	Keyboard: 5V@50ma (from CPU Port)
<b>Temperature Range</b>	Operating: -40C to +70C (-40F to +158F) Storage: -40C to +90C (-40F to +194F)
<b>Humidity</b>	100% (when properly installed)
<b>Shock</b>	3x11 ms pulses of 50g on each of 3 axes
<b>Vibration</b>	Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz, Duration of Test per Axis: 3 hours
<b>Dimensions</b>	(W-H-D) 15.39" x 7.06" x 1.25" (390.9mm x 179.3mm x 31.8mm) CUTPIT: 13.52" x 5.18" (343.4mm x 131.6mm)
<b>Cable</b>	Design: 10 Feet (3.05 meters) Single 10' "Y-Split" Cable with PS/2 Connectors, or Single USB Cable
<b>Compatibility</b>	PS/2: All windows operating systems most Linux/Unix Systems, USB: All windows operating systems, MAC OS and most Linux/Unix Systems
<b>Additional Options</b>	Custom cable lengths, special connectors, custom enclosures etc Other Languages Available - Contact us for more details, Minimum quantities may apply.
<b>Warranty</b>	1 Year limited Warranty Standard
<b>Model Numbers</b>	1000-PMU-PS/2 (PS/2 Interface) 1000-PMU-USB (USB Interface)
<b>Disclaimer</b>	Note: Specifications are subject to change without notice.