

88-DP-USB - SMALL FOOTPRINT RUGGED KEYBOARD



\$295.00 USD

NEMA Sealed Rugged Keyboard

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications
 - ABS-Polycarbonate Sealed Plastic Case
 - Small Foot Print Design
 - 88 Keys, 12 Function Keys, WIN KEY
 - Greater than 10 Million cycles expected life
 - USB connector





PRODUCT DESCRIPTION

The Stealth Computer model 88-DP is a small footprint keyboard that meets harsh use standards. It has 88 full size keys with embedded notebook key functions. The 88-DP is a perfect fit for industrial, kiosk, or mobile computing needs.

Stealth has a wide variety of rugged industrial keyboards & pointing devices and have been designed for use in a multitude of applications including HMI, operator interface, shop floor, data acquisition, kiosks, medical carts, mobile mount, and outdoor use to name a few.

Page: 2 April 26, 2024



ADDITIONAL INFORMATION

Industrial Approvals NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B

Material: Industrial Silicone Rubber Life: Greater than 10 million cycles

Key Switch Travel: 0.060" (1.5mm)

Actuation Force: 5oz (130g)

Feedback: Tactile with mechanical snap

Power Keyboard: 5V@10ma (from CPU Port)

Temperature Range
Operating: -40C to +70C (-40F to +158F)

Storage: -40C to +90C (-40F to +194F)

Humidity 100% (when properly installed)

Shock 3×11 ms pulses of 50g on each of 3 axes

Vibration Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz,

Duration of Test per Axis: 3 hours

Dimensions (W-H-D) 11.40" x 6.30" x 1.86" (289.6mm x 160.0mm x

47.24mm)

Cable Length: 4-foot coiled (1.2 meters)

Design: Single PS/2 or USB connector

PS/2: All windows operating systems most Linux/Unix Systems,

Compatibility USB: All windows operating systems, MAC OS and most

Linux/Unix Systems

Custom cable lengths, special connectors, custom enclosures etc

Additional Options Other Languages Available - Contact us for more details,

Minimum quantities may apply.

Warranty 1 Year limited Warranty Standard

Model Numbers 88-DP-USB (USB Interface)

Disclaimer Note: Specifications are subject to change without notice.