

## 91-SL-USB - RUGGED KEYBOARD WITH EPOXY-COATED KEYS (DISCONTINUED)



### ***Small Footprint NEMA Sealed keyboard with Epoxy-coated keys***

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications
  - Backlighting / Illumination
  - ABS-Polycarbonate Sealed Plastic Case
  - Small Foot Print Design
- 91 Epoxy-Coated Keys, 24 Function Keys, 10-Key Numeric Pad
  - Greater than 10 Million cycles expected life
  - USB connector

**The model 91-SL-USB is now End-of-Life, if you have a requirement please contact us or see our current lineup of rugged keyboards & pointing devices.**



## **PRODUCT DESCRIPTION**

The Stealth Computer 91-SL keyboard model has been designed for rugged applications in manufacturing, material handling and remote data entry when a small-footprint keyboard will come in handy. Featuring epoxy-coated keys that are arranged for convenient gloved-hand use, also featuring backlit illuminated keys. The NEMA 4X-rated 91-SL offers a large amount of functionality in an ultra-small package, measuring in at only 11.4" x 6.3" x 1.9" (289.6mm x 160mm x 48.3mm) in size.

## ADDITIONAL INFORMATION

### Industrial Approvals

NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B

### Key Switch

Material: Epoxy-Coated Industrial Silicone Rubber

Life: Greater than 10 million cycles

Travel: 0.055" (1.4mm)

Actuation Force: 200g (+/- 30g) / 7.05oz (+/- 1.06oz)

Feedback: Tactile with mechanical snap

### Power

Keyboard: 200mA@5V (from CPU Port)

### Temperature Range

Operating: -40C to +70C (-40F to +158F)

Storage: -40C to +90C (-40F to +194F)

### Humidity

100% (when properly installed)

### Shock

3x11 ms pulses of 50g on each of 3 axes

### Vibration

Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz,

Duration of Test per Axis: 3 hours

### Backlighting / Illumination

Red LEDs (On/Off)

### Dimensions

(W-H-D) 11.4" x 6.3" x 1.9" (289.6mm x 160mm x 48.3mm)

### Cable

Length: 4 feet (1.2 meters)

Design: Single Cable USB

### Compatibility

Compatible with all Windows Operating Systems

### Additional Options

Custom cable lengths, special connectors, custom enclosures etc

Other Languages Available – Contact us for more details,

Minimum quantities may apply.

### Warranty

1 Year limited Warranty Standard

### Model Numbers

91-SL-USB (USB Interface)

### Disclaimer

Note: Specifications are subject to change without notice.