

## 18-PM - PANELMOUNT NUMERIC KEYPAD (DISCONTINUED)



## Panelmount NEMA Numeric Keypad

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications when properly installed
- 18 key numeric layout with Enter, Escape, and Arrow (numlock) key functionality.
  - Ideal for Kiosk Applications
  - 10 Million cycles expected life
    - PS/2 or USB connectors

The model 18-PM is now End-of-Life, if you have a requirement please contact us or see our current lineup of rugged keyboards & pointing devices.





## **PRODUCT DESCRIPTION**

The Stealth Computer model 18-PM provides a full numeric keypad that is easily integrated into any system. The secondary legend can be accessed by pressing the NumLock key. It is also possible to cascade a secondary keyboard if necessary.



## **ADDITIONAL INFORMATION**

Industrial Approvals

NEMA 4, 4X, IP65\* when properly installed, UL/ULc 60950, CE,

FCC Class 15, Part B

Material: Industrial Silicone Rubber Life: Greater than 10 million cycles

**Key Switch** Travel: 0.055" (1.4mm)

Actuation Force: 5oz (130g)

Feedback: Tactile with mechanical snap

Power Keyboard: 5V@10ma (from CPU Port)

Temperature Range
Operating: -40C to +70C (-40F to +158F)

Storage: -40C to +90C (-40F to +194F)

**Humidity** 100% (when properly installed)

**Shock** 3×11 ms pulses of 50g on each of 3 axes

Vibration Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz,

Duration of Test per Axis: 3 hours

**Dimensions** (W-H-D) 5.85" x 7.05" x 0.75" (148.6mm x 179.1mm x 19.1mm)

CUTPIT: 5.4" x 4.6"

Cable Length: 10 feet (3.94 meters), Interface: Either PS/2 or USB

single connection

**Compatibility** Compatible with all Windows Operating Systems

Custom cable lengths, special connectors, custom enclosures etc

**Additional Options** Other Languages Available – Contact us for more details,

Minimum quantities may apply.

Warranty 1 Year limited Warranty Standard

Model Numbers 18-PM-PS/2 (PS/2 Interface)

18-PM-USB (USB Interface)

**Disclaimer** Note: Specifications are subject to change without notice.