

a () sparton company



## Model: SR-1502 Datasheet

### Features:

- 1U, High Performance Rack Mount PC Server
- Slim Space Saving 1.75" (1U) High
- Powerful Intel Xeon and Core
  Processors
- Removable SATA or SAS Drive & RAID Support
- Solid State Drive (SSD) options
- Industry standard components
- Built to your Exact Specifications
- 2-Year Warranty

## SR-1502 - 1U Industrial Rackmount PC Server

The Stealth model SR-1502 is a slim, space-saving Rack Mount PC Server that is only 1U (1.75") in height. Stealth's high performance rack features that latest Intel Xeon and Core processors integrated with our highly reliable thermal optimization. Stealth slim servers are packed with features that would normally be found in much larger chassis providing significant cost savings in rack cabinet real estate.

Stealth Computer, an ISO 9001 company that continues to deliver high performance computers and peripherals to an impressive customer list for over two decades. Stealth builds extremely reliable products designed to work on a continuous 24 hour basis yet are priced to meet your budget.

### SR-1502 Specifications

Processors:
 Supports Intel Xeon processor E3-1200 series and Core i3-3200 series



#### ٠

#### • Memory:

- Dual-Channel ECC memory
- 4 DDR3 Memory Sockets Supporting up to 32GB of RAM / Memory

#### • Hard Drive:

- Supports all SATA I, II & III (6.0 Gb/s)
- Optional SAS Drive support
- Raid 0 or 1 via onboard RAID
- Optional Support of Solid State Hard Drive

#### • Drive Bays:

- (2) Removable 3.5" Hard Drive Bays
- (1) Slim line optical drive bay
- (1) 5.25" Open Bay (For use with 5.25" Optical Drives, Tape Drives, MO Drives, internal hard drives, etc.)

#### • Video

- Integrated Graphics adapter, 8MB usable by Graphics plus shared memory

- Optional expansion graphics cards for higher video performance

#### • Ports:

- 1 Rear RS232 / DB9 Serial port
- 4-USB 2.0 ports rear-mounted & (1) USB 2.0 port front-mounted
- Dual RJ45 10/100/1000 Gigabit Network Ports
- HD15 / VGA Video port

#### • Expansion Slots:

Optional: (1) PCIe x8 slot Riser Card

#### • Power Supply:

- 100-240VAC, 50/60Hz, 400W power supply (standard)
- Optional 500W 100-240VAC power supply

#### • Operating System:

#### Microsoft:

Windows Server 2008 w/Service Pack 2 (32-Bit) Windows Server 2008 R2 w/Service Pack 1 (64-Bit) Windows Server 2008 R2 Hyper-V w/Service Pack 1 (64-Bit) Windows Small Business Server 2011 (Standard, Essentials, Premium Add-on) Windows 7 (32 and 64-Bit)



Linux: Red Hat Enterprise Linux 6.1 (32 and 64-Bit) Red Hat Enterprise Linux 6.1, UEFI (64-Bit) Red Hat Enterprise Linux 5 Update 5 (32 and 64-Bit) Suse Linux Enterprise Server 11 SP1 (32 and 64-Bit) Suse Linux Enterprise Server 10 SP3 (32 and 64-Bit)





(Front View of Stealth 1U Server Rack)



(Rear View of Stealth 1U Server Rack)



(Inside View of Stealth 1U Server Rack)



(Front View of Stealth 1U Server Rack)

<u>VM Ware</u> (Note: RAID not supported): ESXi 5.0 ESX 4.1 U1 ESXi 4.1 U1

# **vm**ware<sup>•</sup>

- Contact us for your specific operating system requirement to discuss compatibility

#### • Cooling Fans:

- Internal cooling bracket consisting of (4) cooling fans
- (2) rear exhaust cooling fans

#### • Options:

- SCSI interface and hard drives
- SAS (Serial attached SCSI) Drives and controllers
- Solid State Hard Drive (Flash)
- RAID
- Slide Rails
- 3rd Party IO Cards including RS232, RS485
- 3rd Party Video or Acceleration Cards
- Video capture or input cards

#### • Temperature:

Operating: 0C (32F)~50C (122F)

#### • Dimensions:

1.75"(H) x 19.00"(W) x 21.0"(D) 43.7mm(H) x 482.6mm(W) x 533.4mm(D)

- Dimensional Drawing 🎉

#### • Weight:

- Actual Weight (Standard Config): 24 lbs.

#### • Warranty:

- 2 Year limited Warranty, Standard
- Extended Warranty available, contact Stealth for more info.



(Rear View of Stealth 1U Server Rack)

Note: Specifications are subject to change without notice. All other trademarks and copyrights are the property of their respective owners.