

### **Datasheet**

# Models: 1330-HULA (PS/2 and USB)

(OEM/Open-Frame NEMA 4, 4X, 12 Pointing Device)

The Stealth Computer model 1330-HULA is a smaller version of our regular Hula pointing device. The two-button device offers the versatility and convenience of the Hula pointing device but in a compact version to suit the needs of industrial laptops and workstations. Like all of Stealth Computer's products, the sealed design means the 1330-HULA is dustproof, waterproof, and non-corrosive.

#### **Product Photo**

(click on image for a larger picture)

# **Pointing Device Features**

- Meets NEMA 4, 4X, 12 specifications if properly installed
- Two-button version of the OEM/Open-Frame Hula pointing device OEM pointing device in a compact design
- Sensor Moves on 10 Degree Tilt for 360 Degree Movement
- 10 Million cycles expected life
- Ideal for Kiosk Applications
- Includes 10' cable PS/2 or USB interface
- Dimensions: 3.1"W x 1.4"D x 0.45"H

# **Ordering Information**

#### **Technical Information**

#### **Technical Specifications**

#### Industrial Approvals

Nema 4, 4X, 12 (if properly installed) UL/ULc 60950, CE, FCC Class 15, Part B

### Key Switch

Material: Industrial Silicone Rubber Life: Greater than 10 million cycles

Travel: 0.055" (1.39mm)

Actuation Force: 6.35oz +/- 1.06oz

(180q + / -30q)

Feedback: Tactile with mechanical snap

#### Vibration

Power Spectral Density: 0.04g/Hz Frequency Range: 20Hz-2kHz Duration of Test per Axis: 3 hours

#### Dimensions

(W-H-D) 3.1" x 1.4" x 0.45" 78.74mm x 35.56mm x 11.43mm

#### Cable

Length: 10 feet (3.94 meters)

Interface: Either PS/2 or USB single connection

#### Power

PS/2: 35mA @ 5V (from mouse Port) USB: 35mA @5V (from USB port)

# Temperature Range

Storage: -40C to +90C (-40F to +194F) Operating: -40C to +70C (-40F to

+158F)

# Humidity

100% Humidity Resistant when properly installed

#### Shock

3x11 ms pulses of 50g on each of 3 axes

# Flammability

Printed Circuit Board: 94 VO Silicone Overlay: 94 HB Interface Cable: 94 VO

#### Compatibility

PS/2: All Windows Operating systems and most Linux/Unix Systems USB: All Windows Operating systems,

most Linux/Unix operating systems and Macintosh

OS

# Warranty:

1 Year Limited Warranty

# Model Numbers

1330-HULA-USB with USB Cable 1330-HULA-PS/2 with PS/2 Cable

NOTE: Specifications subject to change without notice.